
SAVANNA





106 WEST 56TH STREET THESIX56.COM

OPEN FOR OCCUPANCY



A BESPOKE OPPORTUNITY FOR SINGLE FULL FLOOR OFFICE TENANTS RANGING IN SIZE FROM 2,500 RSF TO 4,500 RSF WITH TENANT EXCLUSIVE AMENITIES





AMENITIES








TENANT EXCLUSIVE LOUNGE

LOCATED ON THE LOBBY LEVEL, THE LOUNGE FEATURES TWO SEMI -PRIVATE AREAS THAT CAN ALSO BE UTILIZED FOR INFORMAL MEETINGS AND EVENTS. COFFEE AND BEVERAGE SERVICE AVAILABLE.

TENANT CONFERENCE CENTER

SPACE IS FLEXIBLE: A 26-PERSON BOARDROOM OR TWO SEPARATE 8 -PERSON MEETING ROOMS. THE CONFERENCE CENTER FEATURES CATERING SUPPORT.






16TH FLOOR PREBUILT

THE SIX

INDUSTRIAL ELEGANCE











6TH FLOOR PREBUILT

THE

MODERN MINIMALISM



AVAILABILITIES



FLOOR	SQ FT
26тн	2,492 RSF
25тн	2,492 RSF
24тн	2,483 rsf
23 _{RD}	2,483 rsf
22 ND	LEASED
21 sт	2,483 rsf
20тн	2,483 rsf
19тн	2,682 rsf
18тн	2,682 rsf
17 тн	2,682 rsf
16тн	3,051 rsf
15тн	3,051 rsf
14тн	3,051 rsf
12тн	3,482 rs f
Птн	3,482 rs f
10тн	3,482 rs f
9тн	3,850 rsf
8тн	3,850 rs f
7 тн	3,850 rs f
6 тн	4,524 rsf
5 тн	4,524 rsf
4 тн	4,524 rsf
3 _{RD}	4,524 rsf
2 ND	4,524 rsf

TERRACE FLOORS * PRE-BUILT FLOORS



SLAB HEIGHTS OF 13'6"

OUTSIDE AIR IS TAKEN FROM THE ROOF REDUCING THE QUANTITY OF POLLUTANTS CIRCULATING INTO THE BUILDING

BUILDING HVAC MEETS OR EXCEEDS ASHRAE, CDC AND WELL BUILDING STANDARD REQUIREMENTS, INCLUSIVE OF INCREASED OUTDOOR AIR



BUILDING SYSTEM FILTERS WILL BE REPLACED WITH MERV-14 / MERV-13 FILTERS AND CHANGED FREQUENTLY PER ASHRAE'S STANDARDS

SPACE FEATURES



COLUMN-FREE FLOOR PLATE

10-FOOT FINISHED CEILINGS

EACH FLOOR FEATURES A CEILING MOUNTED AC UNIT EQUIPPED WITH A MERV-13 FILTER


TENANT'S AIR IS ONLY CIRCULATED ON THEIR FLOOR RESULTING IN "PRIVATE AIR" FOR EACH TENANT

TWO PRIVATE RESTROOMS FOR USE SOLELY BY THE TENANT OCCUPYING THE FLOOR

TOUCHLESS AUTOMATIC FIXTURES INSTALLED IN THE PRIVATE RESTROOMS AND PANTRY

BASE

2ND-**6**TH **FLOOR** 4,524 RSF




DOWNLOAD THE FLOOR PLAN

MIDRISE

7тн-9тн FLOOR 3,850 RSF

10тн—12тн FLOOR 3,482 RSF

14тн**–16**тн **FLOOR** 3,051 RSF




DOWNLOAD THE FLOOR PLAN

TOWER

17тн—**19**тн **FLOOR** 2,682 RSF

2Отн-24тн FLOOR 2,483 RSF

25TH**-26**TH FLOOR 2,492 RSF



DOWNLOAD
THE FLOOR PLAN

CLICK TO CUSTOMIZE FLOOR PLAN





